
# **EXHIBIT A**

# **EXHIBIT A**

. (1)	DENTITY OF LICENSED PRODUCT  (2)  (3)  Manufacturer of Mode	ODUCT (3)	-		(4) Date Item	(4) (5) (6)  Date Item Identity of Transferee NET SALES	(4) (5) (6)  Date Item Identity of Transferee NET SALES
I	Manufacturer of LICENSED PRODUCT OR OTHER COATER (If other than PRI, list name, address and telephone number, Location of Manufacturer)	Model or Model No. and Serial No.	Dal Del (if Sole Trans: Value; Exporte PRI   Intel Lo	Date Item Delivered (if Sold, Leased, Transferred for Value, Imported, Exported) or Date PRI Moves to Interstation Location	,	Identity of Transferee Inside/Outside USA (Name, address, telephone No.)	Identity of Transferce Inside/Outside USA PRICE  (Name, address, telephone No.) or Value/ Consideration to PRI for Sales/ Use Inside LICENSED TERRITORY
ı							
2							
w			-				
4							
٧			ent veel en bar				of the court of the limb are limb are then had had and

## **EXHIBIT B**







SUPER BLUE®


THE EZ PRINT/ COAT FAMILY

MAXIMUM FLEXOBILITY AND A TOUCH OF BRILLIANCE



# Add Innovative In-Line Interstation and End of Press Printing Coating.





The Super Blue EZ Interstation Flexo Printer/Coater is installed directly onto a print unit, for applying any one of a number of aqueous or UV based metallic/opaque inks between print units.



W000582


Have you ever wanted to add in-line coating capabilities, metallic, opaque, or other specialized applications to specific print units? Was your decision not to enter this market influenced by mediocre quality, undesirable environmental considerations, or the prohibitive cost?

Search no more .. Your needs and concerns have been resolved!

Printing Research, Inc., invites you to review the patented family of EZ Print/Coat products as described in this brochure. We are confident that you will find the perfect solution to your present and future printing demands.

#### **EZ Interstation Flexo** Printer/Coater

The Super Blue EZ Interstation Flexo Printer/Coater is retractable so that it can be swung up and above the print unit for conventional printing or swung into the blanket position to offer complete application variations from job to job. The patented coating head assembly is comprised of two main components. A combination of engraved anilox rolls are offered to provide a consistent overall ink/coating weight. The anilox rolls yield excellent ink/coating release and lay characteristics with no fear of plugging, leaking, or misting due to the unique enclosed doctor blade assembly.



Patent Pending

The EZ Print/Coat Family utilizes a universal coating head configuration for superior ink and coating transfer.

#### **EZ Blanket Coater**

The Super Blue EZ Blanket Coater is mounted such that the coating head can be automatically removed from its coating position for conventional use of the last print unit as well as full bperator access. Although the EZ Blanket Coater is an end of press retrofit, it offers the same coating release and lay characteristics without fear of plugging, leaking, or slinging due to the same unique enclosed doctor blade assembly.


# **EZ Automatic Pump and Recirculation System**

The Super Blue EZ Automatic Pump and Recirculation system is designed to eliminate the headaches associated with other pump systems and complicated wash-up procedures that impact your production time and bottom line. The circulation system is a standard component that allows the operator to push a button and walk away. Whether you are purging, coating, washing-up or by-passing each is fully automated and timed. In addition, the Fean-up water reservoir is heated to provide optimum line and head cleaning.

The Super Blue EZ Automatic Pump and Recirculation System is offered as a separate product to suit most anilox coating systems, whether it be a blanket coater, tower coater, flexographic coater or web coater.




The Super Blue EZ Automatic Pump and Recirculation System is common to the entire EZ Print/Coat Family as a standard component.



Patented and Patents Pending

The Super Blue EZ Blanket Coater is installed directly onto the delivery or coating/dummy unit of your press for applying any one of a number of aqueous or UV coatings or inks at the last print unit blanket cylinder.

The Super Blue EZ Impression
Cylinder Coater is installed between
the gripper chain rails of the press
delivery, but utilizes its own delivery
blanket cylinder to add a coating
unit without losing a print unit.



Patented



W000583







Super Blue BACVAC Vacuum Transfer and Delivery Systems

Super Blue® High Velocity Hot Air Dryeis

Super Blue's I and II

Anti-Marking Systems





Super Blue Air Blanker Land II Infra-Red Drying Systems



Super Blue<sup>3</sup> Warer Cooled and 'Cold' UV Dryers





SUPER



### Printing Research, Inc.

Dallas, Texas 75220 10954 Shady Trail U.S.A.

Telphone: 214-353-9000 Telex: 794028 Superblue dal

Fax: 214-357-5847

1-800-MARK-LESS (1-800-627-5537)

Another Fine Product From The Makers Of The Patented Super Blue® System